## **Enter-Exit System (BCG Shared Assets)**

Supports all BCG vehicle controllers now. Enables / disables character controllers, registers / deregisters vehicles, and observes all events.

First, you have to import "BCG Shared Assets" into your project in order to use enter / exit system. It will add necessary scripts and resources to use your FPS or TPS player for enter / exit vehicles. Package is located in the "Addon Packages\For BCG Shared Assets (Enter-Exit)" folder. You can also import integration package from the welcome window as well. Tools  $\rightarrow$  BCG  $\rightarrow$  RCC  $\rightarrow$  Welcome Window  $\rightarrow$  Addons.

There will be two new scenes imported to the "**Demo Scenes**" folder. One for FPS, and the other one for TPS controllers. FPS and TPS controllers are using different cameras. Usually, camera of the FPS character is in the character gameobject. But TPS characters have unattached and independent cameras, and they are not parented to the character. Therefore, **BCG\_EnterExitPlayer.cs** script has two options for usement with FPS or TPS. If TPS is choosen, you must select the TPS camera in the scene.

You can edit some settings from (Tools  $\rightarrow$  BCG  $\rightarrow$  Shared Assets  $\rightarrow$  Edit Settings).

Inspector	🖪 Occlusion	표: Lighting	🗘 Project Settings	Services	≥ ≙ •≡
BCG_E	nterExitSetting	s			Image: Open
🗹 Enable Enter Exit					
Enter Exit Vehicle		Return			;
Keep Engines Alive					
Enter Exit Sp	eed Limit	20			
		BCG Enter I BoneCrack	Exit 0.01b er Games		
		Created by Bug	ira Ozdoğanlar		

### How The System Works (Simple)

All enter exit vehicles must have "BCG\_EnterExitVehicle" component. And our FPS/TPS character must has "BCG\_EnterExitPlayer" component. BCG\_SceneManager (Will be created automatically in the scene) will be observing all vehicles and your character in the scene. If vehicle has no driver, \*canControl of the vehicle will be disabled, and not registered as player vehicle. If our character has entered any vehicle, BCG\_SceneManager will register the target vehicle as player vehicle, enables the canControl of the vehicle. At that moment, our character will be parented to the vehicle and disabled entirely. Now, BCG\_EnterExitVehicle has a \*\*driver now. If player gets out from the vehicle, BCG\_SceneManager will be activating character controller, and transport it to "Get Out Pos" of the vehicle. And lastly, deregister the vehicle and disable \*canControl of the vehicle. Now, vehicle is not controllable, not a player vehicle.

\* = canControl bool of the RCC\_CarControllerV3. If it's enabled, the vehicle is controllable.

\*\* = **driver** variable of the **BCG\_EnterExitVehicle**.

### How To Make It Work

All you have to do is, add necessary scripts to the vehicles and to your character player. Get out position of the vehicles are created automatically in script if you don't select it in **BCG\_EnterExitCar**. You can replace get out positions.

For FPS characters, it will depend on your camera of the FPS player. For TPS player, it depends on your actual TPS Player, not camera.

#### Character Controllers must have BCG\_EnterExitPlayer

Vehicles must have BCG\_EnterExitVehicle

**BCGEnterExitManager** will be created automatically in your scene. **BCGEnterExitManager** will be managing all the process.

# How The System Works (Detailed)

Please read simple version first if you haven't read. Let's get it straight with more detailed version;

- 1- **BCG\_EnterExitVehicle** must be attached to all vehicles.
- 2- **BCG\_EnterExitPlayer** must be attached to the character.
- 3- **BCG\_EnterExitManager** will be created automatically.

All the system is based on events. **BCG\_EnterExitPlayer** is firing an event when it's spawned, destroyed, gets in a vehicle, or gets out of the vehicle. **BCG\_SceneManager** will be listening to this event as well. So, manager knows your all your character events. All events are explained below;

public delegate void **onBCGPlayerSpawned**(BCG\_EnterExitPlayer player);

public delegate void **onBCGPlayerDestroyed**(BCG\_EnterExitPlayer player);

public delegate void **onBCGPlayerEnteredAVehicle**(BCG\_EnterExitPlayer player, BCG\_EnterExitVehicle vehicle);

public delegate void **onBCGPlayerExitedFromAVehicle**(BCG\_EnterExitPlayer player, BCG\_EnterExitVehicle vehicle);

You can listen any events on the **BCG\_EnterExitPlayer or BCG\_EnterExitVehicle**. For example;



Nice color scheme, isn't it? O Anyways, **BCG\_EnterExitManager** will be using **GetIn()** or **GetOut()** methods by listening these events. **GetIn()** method requires "**targetVehicle**". **GetOut()** method doesn't require any parameters.

When our character standing next to the any vehicle, get in text will be enabled by **BCG\_EnterExitPlayer**. If player pushes the interaction button,

<u>OnBCGPlayerEnteredAVehicle</u> event will be fired with targetVehicle data. As you well now, this event has been listening by <u>BCG\_SceneManager</u>. So, <u>BCG\_SceneManager</u> will be firing <u>GetIn(targetVehicle)</u> method to do the rest.